



LED Abajur

LED Lampshade




Desenler


Pattern




Karolaj
Grid




Retro 1





Retro 2



Dikdörtgen
Rectangle





Çakıl
Gravel




	Abajur	Abajur -K
BOYUT / SIZE	175x175x445 mm	175x175x420 mm
AĞIRLIK / WEIGHT	3,1 kg	3,3 kg
GİRİŞ VOLTAJ / INPUT VOLTAGE	100-240 V AC - 50/60hz	
IŞIK KAYNAĞI / LIGHT SOURCE	SMD LED	
TÜKETİM GÜCÜ / POWER CONSUMPTION	18 W	
IŞIK RENKLERİ / CCT	3000K	
KULLANIM ÖMRÜ / LIFE TIME	50.000 h(L ₇₀)	
ORTAM SICAKLIĞI / AMBIENT TEMPERATURE	-25 °C / +45 °C	
IŞIK AKISI / LUMINOUS FLUX	1.300 lm	
RENKSEL GERİVERİM DEĞERİ / CRI	≥80	
GARANTİ (Yıl) / WARRANTY (Year)	2	

LED Lambader


LED Floor Lamp




Desenler Pattern




Karolaj
Grid




Retro 1




Retro 2



Dikdörtgen
Rectangle



Çakıl
Gravel



	Lambader	Lambader-K
BOYUT / SIZE	175x175x1080 mm	175x175x1080 mm
AĞIRLIK / WEIGHT	8 kg	6,9 kg
GİRİŞ VOLTAJ / INPUT VOLTAGE	100-240 V AC - 50/60hz	
İŞİK KAYNAĞI / LIGHT SOURCE	SMD LED	
TÜKETİM GÜCÜ / POWER CONSUMPTION	36 W	
İŞİK RENKLERİ / CCT	3000K	
KULLANIM ÖMRÜ / LIFE TIME	50.000 h(L₇₀)	
ORTAM SICAKLIĞI / AMBIENT TEMPERATURE	-25 °C / +45 °C	
İŞİK AKISI / LUMINOUS FLUX	2.600 lm	
RENKSEL GERİVERİM DEĞERİ / CRI	≥80	
GARANTİ (Yıl) / WARRANTY (Year)	2	