





**T**LT






**T**LT PANEL

# LED Panel Frameless



SIZE	Custom Made
WEIGHT	11kg/m <sup>2</sup>
INPUT VOLTAGE	100-240V AC - 50/60hz
LIGHT SOURCE	SMD LED
POWER CONSUMPTION	Custom Made
CCT	3000K, 4000K, 6500K
LIFE TIME	50.000 h(L70)
AMBIENT TEMPERATURE	-20 °C / +45 °C
LUMINOUS FLUX	Custom Made
EFFICIENCY	Custom Made
CRI	≥ 80
WARRANTY (Year)	2

TLT





## " Surface Lighting Technologies "

**[osaka]**  
led Panel

OSAKA LED PANEL SAN. VE TIC. A.Ş.  
Huzur Mah. Menderes Cad. No:16 Oto Sanayi Sit. 4. Levent - Sariyer  
Istanbul / Türkiye Tel: +90 212 280 56 59 - Fax: +90 212 280 62 42  
[info@tltpanel.com](mailto:info@tltpanel.com) / [www.tltpanel.com](http://www.tltpanel.com)



TÜRK PATENT ENSTİTÜSÜ



[www.kosgeb.gov.tr](http://www.kosgeb.gov.tr)  
26.02.2018 / cross